

AD-A108 772

ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND ABERD--ETC F/8 20/6  
AN ASCII FORTRAN SUBROUTINE FOR COMPUTING THE ELECTROMAGNETIC R--ETC(U)  
NOV 81 N E MILHAM  
ARCSL-TR-81088


UNCLASSIFIED

NL

for  
AL  
208-772




END  
DATE  
FILMED  
82  
DTIC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

AD A





## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM											
1. REPORT NUMBER ARCSL-TR-81088	2. GOVT ACCESSION NO. AD-A108 772	3. RECIPIENT'S CATALOG NUMBER											
4. TITLE (and Subtitle)  AN ASCII FORTRAN SUBROUTINE FOR COMPUTING THE ELECTROMAGNETIC RADIATION SCATTERED BY A SPHERE		5. TYPE OF REPORT & PERIOD COVERED Technical Report / May 1980											
		6. PERFORMING ORG. REPORT NUMBER											
7. AUTHOR(s)  Merrill E. Milham		8. CONTRACT OR GRANT NUMBER(s)											
9. PERFORMING ORGANIZATION NAME AND ADDRESS Commander/Director, Chemical Systems Laboratory ATTN: DRDAR-CLB-PS Aberdeen Proving Ground, MD 21010		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS  1L162662A554											
11. CONTROLLING OFFICE NAME AND ADDRESS Commander/Director, Chemical Systems Laboratory ATTN: DRDAR-CLJ-R Aberdeen Proving Ground, MD 21010		12. REPORT DATE November 1981											
		13. NUMBER OF PAGES 46											
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)  UNCLASSIFIED											
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE NA											
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.													
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)													
18. SUPPLEMENTARY NOTES  Smoke/Obscurant Technology													
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) <table border="0"> <tr> <td>ASCII FORTRAN compiler</td> <td>Lorenz-Mie calculation</td> </tr> <tr> <td>ASCMIE subroutine</td> <td>Memory allocation processor</td> </tr> <tr> <td>DBMIE code</td> <td>Mie scattering calculations</td> </tr> <tr> <td>Electromagnetic radiation</td> <td>Refractive index</td> </tr> <tr> <td>Homogeneous spherical particle</td> <td>Smoke-aerosol research</td> </tr> </table>				ASCII FORTRAN compiler	Lorenz-Mie calculation	ASCMIE subroutine	Memory allocation processor	DBMIE code	Mie scattering calculations	Electromagnetic radiation	Refractive index	Homogeneous spherical particle	Smoke-aerosol research
ASCII FORTRAN compiler	Lorenz-Mie calculation												
ASCMIE subroutine	Memory allocation processor												
DBMIE code	Mie scattering calculations												
Electromagnetic radiation	Refractive index												
Homogeneous spherical particle	Smoke-aerosol research												
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) <p>This report describes the ASCMIE subroutine for performing Mie scattering calculations by means of the downward recursion algorithm developed by J. V. Dave. ASCMIE is written in UNIVAC 1100 series ASCII FORTRAN language. The ASCII FORTRAN compiler is a modern, state-of-the-art compiler which implements the ANSI FORTRAN 77 standard; this compiler is intended as a future replacement for the UNIVAC 1100 series FORTRAN V compiler. Rather than carry out a straightforward conversion of the FORTRAN V Mie scattering</p>													

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

routine to ASCII FORTRAN, the code was completely rewritten in order to incorporate new ASCII FORTRAN language elements. The result is a more structured, modular, M1e scattering code which executes faster than the FORTRAN V code.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

## PREFACE

The work described in this report was authorized under Project 1L162662A554, Smoke/Obscurant Technology. This work was started and completed in May 1980.

The use of trade names in this report does not constitute an official endorsement or approval of the use of such commercial hardware or software. This report may not be cited for purposes of advertisement.

Reproduction of this document in whole or in part is prohibited except with permission of the Commander/Director, Chemical Systems Laboratory, ATTN: DRDAR-CLJ-R, Aberdeen Proving Ground, Maryland 21010. However, the Defense Technical Information Center and the National Technical Information Service are authorized to reproduce the document for United States Government purposes.

## CONTENTS

	Page
1 INTRODUCTION . . . . .	7
2 SOFTWARE DESIGN AND CODING CONVENTIONS . . . . .	7
3 RESULTS . . . . .	9
3.1 Sample Problem . . . . .	9
3.2 Timing Study . . . . .	10
4 CONCLUSIONS . . . . .	11
LITERATURE CITED . . . . .	13
APPENDIXES	
A. FTN Compilation Listing of Subroutine ASCMIE . . . . .	15
B. FTN Compilation Listing of Main Program MIECHK . . . . .	31
C. MAP Listing of Absolute Element ASCMIE . . . . .	37
D. Sample Output from Execution of Absolute Element ASCMIE . . . . .	39
DISTRIBUTION LIST . . . . .	43



# AN ASCII FORTRAN SUBROUTINE FOR COMPUTING THE ELECTROMAGNETIC RADIATION SCATTERED BY A SPHERE

## 1 INTRODUCTION

The Lorenz-Mie formalism<sup>1,2,3</sup> is the analytical solution for the far field radiation which results when plane electromagnetic waves are scattered by a homogeneous spherical particle. With the advent of modern high speed computers programmed to provide numerical results, the Lorenz-Mie formalism may be regarded as an idealized experimental tool which is capable of predicting with certainty the scattering produced by spherical particulates.<sup>3</sup>

The development and use of computer codes to perform Lorenz-Mie calculations are of prime importance for smoke/aerosol research. For example, the excellent and widely used FORTRAN subroutine DBMIE,<sup>4</sup> which was developed by J. V. Dave,<sup>5</sup> has been the mainstay for performing such calculations at Chemical Systems Laboratory (CSL). The DBMIE code was modified for use on the ARRADCOM UNIVAC 1108 computer as a FORTRAN V subroutine.<sup>6</sup> The FORTRAN V compiler will be replaced in the near future by the UNIVAC 1100 series ASCII FORTRAN compiler.<sup>7</sup> The ASCII compiler is a modern, state-of-the-art compiler which implements the ANSI FORTRAN 77 standard.<sup>8</sup> Rather than carry out a straightforward conversion of the FORTRAN V Mie scattering subroutine, the code was completely rewritten to incorporate new ASCII FORTRAN language elements. The result was the ASCMIE subroutine which is a more structured, modular, Mie scattering code which executes faster than the FORTRAN V code.

## 2 SOFTWARE DESIGN AND CODING CONVENTIONS

A compilation listing of the ASCMIE subroutine is given in appendix A; the reader should become familiar with this listing before proceeding. This subroutine is an implementation of the downward recursion algorithm of Dave.<sup>5</sup> A call to subroutine ASCMIE requires the specification of the following input arguments:

$X = \pi D/\lambda$ , the size parameter for a sphere of diameter  $D$  illuminated by electromagnetic radiation of wavelength  $\lambda$ . An error condition is generated and the execution of ASCMIE is halted if  $X \leq 0$ .  $X$  is a double precision variable.

$N$  = the real part of the complex refractive index,  $m$ . A printed warning is generated if  $N \leq 1$  because the algorithm has been thoroughly tested for  $N > 1$  only.  $N$  is a double precision variable.

$K$  = imaginary part of the complex refractive index,  $m$ . An error condition is generated and the execution of ASCMIE is halted if  $K < 0$ .  $K$  is a double precision variable.

THETAD = a double precision array containing the scattering angles in degrees. The maximum number of scattering angles is set by the PARAMETER variable MXTHET at 100 angles. An error condition is generated and the execution of ASCMIE is halted if any value of the scattering angle exceeds 90 degrees.

NTHETA = the number of scattering angles at which the Lorenz-Mie solutions are sought. NTHETA should not exceed 100 unless ASCMIE is recompiled with MXTHET set larger. An error condition is generated and the execution of ASCMIE is halted if NTHETA > MXTHET. NTHETA is an integer variable.

All the input arguments specified above are checked for error and warning conditions before a decision is made to proceed or halt execution. Each error or warning is described by a printed message. Also, a check is made to determine if sufficient array storage is available to perform the calculations before the program is allowed to proceed.

The subroutine returns the following outputs:

QEXT = efficiency factor for total extinction. QEXT is a double precision variable.

QSCAT = efficiency factor for scattering. QSCAT is a double precision variable.

CTBRQS = product of the asymmetry factor and QSCAT. CTBRQS is a double precision variable.

FMX = elements of the transformation matrix. FMX (4,MXTHET,2) is a double precision array.

Definitions of the efficiency factors, asymmetry factor, and the transformation matrix can be found in any of several excellent treatises on the Lorenz-Mie Theory.<sup>1,2,3</sup>

An attempt was made to make the ASCMIE code as structured as possible. The beginning of this program module is indicated by the SUBROUTINE statement and the program module ends with the END statement. All of the FORTRAN code which implements the algorithm between the SUBROUTINE and END statements was divided into blocks according to the following scheme:

- (a) BLOCK 0 contains all specifications statements.
- (b) BLOCKS 100 to 600 are blocks of FORTRAN code which implement algorithmic tasks.
- (c) Each BLOCK is divided into as many SUBBLOCKS as necessary for clarity and convenience.

Each BLOCK of the code was constructed according to the following style rules:

- (a) Each BLOCK starts with a statement labelled:

0, 100, 200, . . ., 600

- (b) Each SUBBLOCK starts with a statement labelled:

0, 10, 20, . . ., 90  
 100, 110, 120, . . ., 190  
 200, 210, 220, . . ., 290  
 : : : : :  
 : : : : :  
 : : : : :  
 600, 610, 620, . . ., 690

The smallest available label is used.

- (c) 9000 series labels are FORMAT statements. Each digit following the 9 serves to identify the BLOCK and SUBBLOCK in which the FORMAT statement occurs.

Using the conventions described above, the ASCMIE code is represented by the following skeleton:

START OF MODULE: SUBROUTINE ASCMIE (X, N, K,  
 THETAD, NTHETA, QEXT, QSCAT, CTBRQS, FMX)

BLOCK 0: SPECIFICATIONS  
 BLOCK 100: CHECK FOR INVALID OR  
 OUT-OF-RANGE ARGUMENTS  
 BLOCK 200: INITIALIZING CALCULATIONS  
 BLOCK 300: SERIES SUMMATIONS  
 BLOCK 400: CALCULATE FINAL RESULTS  
 BLOCK 500: RETURN  
 BLOCK 600: ERROR SECTION  
 END OF MODULE: END

### 3 RESULTS

3.1 Sample Problem. A FORTRAN main program, MIECHK, was written to call the ASCMIE subroutine and produce numeric results for sample problems. MIECHK is essentially the same program as that used previously by Dave<sup>5</sup> for the same purpose; a compilation listing of program MIECHK is given in appendix B. A MAP (Memory Allocation Processor) listing of the absolute element ASCMIE, which was produced by including MIECHK and ASCMIE, is given in appendix C. This absolute element was executed for Dave's sample problem  $m = 1.342 - 0.1i$ ,  $X = 1571.0.5$ . The results produced by ASCMIE are given in appendix D and are in agreement with previous results.<sup>5</sup>

3.2 Timing Study. An important consideration in choosing a Mie scattering code is the computer time required to produce numeric results. The time required to execute ASCMIE for the sample problem described above (section 3.1) was compared as the size parameter was varied from 0.1 to 1571 with similar results for two FORTRAN V versions of the Dave subroutine - MEMIE\* and MIE2.\*\* The results of the timing study are presented in table 1, where the times shown are the central processing unit times as listed by the UNIVAC 1108 accounting algorithm.

Table 1. Comparison of Execution Times for Three Mie Scattering Subroutines

X	Time		
	ASCMIE	MEMIE	MIE2
	sec	sec	sec
0.1	.947	.979	.995
1.0	1.018	1.049	1.051
10.0	1.427	1.490	1.592
100.0	4.021	4.068	5.004
1000.0	27.758	28.952	34.671
1571.0	41.166	42.137	51.637

In every case ASCMIE took less time to compute the same results than the MEMIE and MIE2 subroutines. Independent of the value of X, we find that

$$T_A < T_{M1} < T_{M2} \quad (1)$$

where

$T_A$  = time required when using the ASCMIE subroutine

$T_{M1}$  = time required when using the MEMIE subroutine

$T_{M2}$  = time required when using the MIE2 subroutine

Because of the uncertainties inherent in computer timing operations and the cursory nature of this timing study, these results should be regarded as suggestive but not definitive.

\*Unpublished data by M. E. Milham.

\*\*Unpublished data by J. H. Frickel.

#### 4. CONCLUSIONS

The ASCMIE subroutine:

- (a) Is based on the downward recursion scheme of Dave.
- (b) Uses many of the FORTRAN 77 features available in the UNIVAC 1100 series ASCII FORTRAN language.
- (c) Is more modular and structured than the original Dave code.
- (d) Executes faster than FORTRAN V versions of the Dave code (MEMIE, MIE2).

#### LITERATURE CITED

1. Van de Hulst, H. C. Light Scattering by Small Particles. John Wiley and Sons, Inc., New York, New York. 1957.
2. Kerker, M. The Scattering of Light and Other Electromagnetic Radiation. Academic Press, New York, New York. 1969.
3. Deirmendjian, D. Electromagnetic Scattering on Spherical Polydispersions. Elsevier Publishing Company, New York, New York. 1969.
4. Plass, G. N. Comment on: The Effects of Particle Size on Contrast Improvement by Polarization Discrimination for Underwater Targets. Appl. Opt. 9, 1932 (1970).
5. Dave, J. V. Report No. 320-3237. Subroutines for Computing the Parameters of the Electromagnetic Radiation Scattered by A Sphere. IBM Scientific Center, Palo Alto, California. May 1968.
6. FORTRAN V Programmer Reference. UP-4060. Sperry Univac Corp. 1976.
7. FORTRAN (ASCII) Programmer Reference. UP-8244. Sperry Univac Corp. 1976.
8. American National Standard Programming Language FORTRAN. ANSI X3.9-1978. American National Standards Institute. New York, New York. 1978.

# APPENDIX A

## FTN COMPILATION LISTING OF SUBROUTINE ASCMIE

```

@FTN.DRSZ ASCM
FTN BR1 *02/12/81-09:42(0.)
1. C
2. C
3. C
4. C
5. C
6. C
7. C
8. C
9. C
10. C
11. C
12. C
13. C
14. C
15. C
16. C
17. C
18. C
19. C
20. C
21. C
22. C
23. C
24. C
25. C
26. C
27. C
28. C
29. C
30. C
31. C
32. C
33. C
34. C
35. C
36. C
37. C
38. C
39. C
40. C
41. C
42. C
43. C
44. C
45. C
46. C
47. C
48. C
49. C
50. C
51. C
52. C
53. C

SUBROUTINE ASCMIE(X,N,K,THETAD,NTHETA,QEXT,QSCAT,CTBROS,FMX)
** M. E. MILHAM 1980
C INPUTS:
X = SIZE PARAMETER,PI*D/WL
N = REAL PART OF REFRACTIVE INDEX
K = IMAGINARY PART OF REFRACTIVE INDEX
THETAD = SCATTERING ANGLES(DEGREES)
NTHETA = NUMBER OF SCATTERING ANGLES
C OUTPUTS:
QEXT = EFFICIENCY FACTOR FOR EXTINCTION
QSCAT = EFFICIENCY FACTOR FOR SCATTERING
CTBROS = ASYMMETRY FACTOR * QSCAT
FMX = ELEMENTS OF THE TRANSFORMATION MATRIX(F)

C BLOCK 0: ASCMIE SPECIFICATIONS
90
PARAMETER
+ MXTHET=100.
+ NMX0=7000.
+ AMAX=NMX0-1.
+ RAD=DATAN(1.000)/45.000
C
10
LOGICAL
+ STOP.
+ ENDSUM
C
REAL*8
+ X.
+ XI.
+ N.
+ K.
+ QEXT.
+ QSCAT.
+ T(5).
+ TA(4).
+ T3(2).
+ TC(2)
C
REAL*8
+ TD(2).
+ TE(2).
+ CTBROS.
+ FMX(4,NXTHET,2).
+ PI(3,NXTHET).

```

```

54.      +      TAU(3,MXTHET).
55.      +      CSTHET(MXTHET).
56.      +      SI2THET(MXTHET).
57.      +      THETAD(MXTHET)
58.      C
59.      30      COMPLEX*16
60.      +      M.
61.      +      MI.
62.      +      XMI.
63.      +      AN.
64.      +      BN.
65.      +      ANP.
66.      +      BNP.
67.      +      TC1.
68.      +      TC2.
69.      +      WM1.
70.      +      WN(2).
71.      +      A(NMX0)
72.      C
73.
74.
75.      40      EQUIVALENCE
76.      +      (WN(1),TA(1)),
77.      +      (AN,TB(1)),
78.      +      (BN,TC(1)),
79.      +      (ANP,TD(1)),
80.      +      (BNP,TE(1))
81.      C
82.      C END OF BLOCK 0: ASCMIE
83.      C
84.      C-----
85.      C BLOCK 100: ASCMIE CHECK FOR INVALID OR OUT OF RANGE ARGUMENTS
86.      C
87.      C CHECK FOR X>0
88.
89.      100      STOP=.FALSE.
90.      IF(X.GT.0.000) THEN
91.      CONTINUE
92.      C
93.      ELSE
94.      C
95.      WRITE(UNIT=6,FMT=9100) X
96.      FORMAT(' X = ',G15.7,' MUST BE GREATER THAN 0')
97.      C
98.      STOP=.TRUE.
99.      C
100.      END IF
101.      C
102.      C CHECK N>1
103.      110      IF(N.GT.1.D0) THEN
104.      CONTINUE
105.      C
106.      ELSE
107.      WRITE(UNIT=6,FMT=9110) N
108.      FORMAT(' N = ',G15.7,' SUBROUTINE NOT CHECKED FOR N<1')
109.      END IF
110.      C
111.

```

```

. ASCM0054
. ASCM0055
. ASCM0056
. ASCM0057
. ASCM0058
. ASCM0059
. ASCM0060
. ASCM0061
. ASCM0062
. ASCM0063
. ASCM0064
. ASCM0065
. ASCM0066
. ASCM0067
. ASCM0068
. ASCM0069
. ASCM0070
. ASCM0071
. ASCM0072
. ASCM0073
. ASCM0074
. ASCM0075
. ASCM0076
. ASCM0077
. ASCM0078
. ASCM0079
. ASCM0080
. ASCM0081
. ASCM0082
. ASCM0083
. ASCM0084
. ASCM0085
. ASCM0086
. ASCM0087
. ASCM0088
. ASCM0089
. ASCM0090
. ASCM0091
. ASCM0092
. ASCM0093
. ASCM0094
. ASCM0095
. ASCM0096
. ASCM0097
. ASCM0098
. ASCM0099
. ASCM0100
. ASCM0101
. ASCM0102
. ASCM0103
. ASCM0104
. ASCM0105
. ASCM0106
. ASCM0107
. ASCM0108
. ASCM0109
. ASCM0110
. ASCM0111

```



```

112. C CHECK K
113.
114. 120 IF(K.LT.0.0D0) THEN
115.     WRITE(UNIT=6,FMT=9120) K
116. 9120 FORMAT(' K =',G15.7,' K MUST BE .GE.0')
117. C
118.     STOP=.TRUE.
119. C
120.     ELSE
121.     CONTINUE
122.     END IF
123. C CHECK NTHETA
124.
125. 130 IF(NTHETA.LE.MXTHET.AND.NTHETA.GT.0) THEN
126.     CONTINUE
127. C
128.     ELSE
129.     I=MXTHET
130.     WRITE(UNIT=6,FMT=9130) NTHETA,I
131.     FORMAT(' CALCULATIONS REQUESTED FOR AN IMPROPER NUMBER OF'
132.     + ' SCATTERING ANGLES. NTHETA =',I10,' MXTHET =',I10)
133. C
134.     STOP=.TRUE.
135. C
136.     END IF
137. C CHECK THETAD(J)
138.
139. 140 DO 141 J=1,NTHETA
141.     C REMOVE ANY NEGATIVE ANGLES
142.     THETAD(J)=DABS(THETAD(J))
143. C
144.     IF(THETAD(J).GT.90.0D0) THEN
145.         WRITE(UNIT=6,FMT=9140) J,THETAD(J)
146.     9140 FORMAT(' THETAD(',I3,') =',G15.4,' DEGREES.THETAD MUST'
147.     + ' BE .LE.90.')
148. C
149.     STOP=.TRUE.
150. C
151.     ELSE
152.     CONTINUE
153.     END IF
154. 141 CONTINUE
155. C SET NMX1,NMX2 AND CHECK "A" ARRAY STORAGE
156.
157. 150 T(1)=(X*X)*(N+N*K*K)
158.     T(1)=DSORT(T(1))
159.     NMX1=1.1D0*T(1)
160.     NMX2=T(1)
161. C
162.     IF(NMX1.LE.AMAX.AND.NMX1.GE.150) THEN
163.         ELSE IF(NMX1.LT.150) THEN
164.             NMX1=150
165.             NMX2=135
166. C
167.         ELSE
168.         C
169.     ELSE

```

```

. ASCM0112
. ASCM0113
. ASCM0114
. ASCM0115
. ASCM0116
. ASCM0117
. ASCM0118
. ASCM0119
. ASCM0120
. ASCM0121
. ASCM0122
. ASCM0123
. ASCM0124
. ASCM0125
. ASCM0126
. ASCM0127
. ASCM0128
. ASCM0129
. ASCM0130
. ASCM0131
. ASCM0132
. ASCM0133
. ASCM0134
. ASCM0135
. ASCM0136
. ASCM0137
. ASCM0138
. ASCM0139
. ASCM0140
. ASCM0141
. ASCM0142
. ASCM0143
. ASCM0144
. ASCM0145
. ASCM0146
. ASCM0147
. ASCM0148
. ASCM0149
. ASCM0150
. ASCM0151
. ASCM0152
. ASCM0153
. ASCM0154
. ASCM0155
. ASCM0156
. ASCM0157
. ASCM0158
. ASCM0159
. ASCM0160
. ASCM0161
. ASCM0162
. ASCM0163
. ASCM0164
. ASCM0165
. ASCM0166
. ASCM0167
. ASCM0168
. ASCM0169

```

```

170. 1 I=AMA\
171. 1 WRITE(UNIT=6,FMT=9150) NMX1,I
172. 1 FORMAT(' A',15,'') REQUIRED ONLY A('15.') IS AVAILABLE'
173. 1 WRITE(UNIT=6,FMT=9151) X,N,K
174. 1 FORMAT(' X =',G15.7,' N =',G15.7,' K =',G15.7)
175. 1 C
176. 1 STOP=.TRUE.
177. 1 END IF
178. 1 C
179. 1 C STOP OR GO ???
180. 1 C
181. 160 IF(STOP) THEN
182. 1 STOP
183. 1 C
184. 1 ELSE
185. 1 CONTINUE
186. 1 END IF
187. 1 C
188. 1 C END OF BLOCK 100: ASCMIE
189. 1 C
190. 1 C-----
191. 1 C BLOCK 200: ASCMIE INITIALIZING CALCULATIONS
192. 1 C
193. 1 C SET: A
194. 1
195. 200 M=DCMPLX(N,-K)
196. 1 MI=1.000/M
197. 1 XI=1.000/X
198. 1 XMI=XI*MI
199. 1 C
200. 1 NN1=NMX1+1
201. 1 A(NN1)=(0.000,0.000)
202. 1 C
203. 1 DO 201 NN=NN1,2,-1
204. 1 A(NN-1)=NN*XMI-1.000/(NN*XMI+A(NN))
205. 1 201 CONTINUE
206. 1 C
207. 1 C SET PHASE FUNCTIONS(PI,TAU)
208. 1 C
209. 210 DO 211 J=1,NTHETA
210. 1 C
211. 1 IF(THETAD(J).EQ.0.000) THEN
212. 2 CSTDHET(J)=1.000
213. 2 SI2THT(J)=0.000
214. 2 ELSE IF(THETAD(J).EQ.90.000) THEN
215. 2 CSTDHET(J)=0.000
216. 2 SI2THT(J)=1.000
217. 2 C
218. 2 ELSE
219. 2 CSTDHET(J)=DCOS(RAD*THETAD(J))
220. 2 SI2THT(J)=1.000-CSTDHET(J)*CSTDHET(J)
221. 2 END IF
222. 2 C
223. 1 211 CONTINUE
224. 1 C
225. 1 DO 212 J=1,NTHETA
226. 1 C
227. 1 PI(1,J)=0.000

```

```

. ASCM0170
. ASCM0171
. ASCM0172
. ASCM0173
. ASCM0174
. ASCM0175
. ASCM0176
. ASCM0177
. ASCM0178
. ASCM0179
. ASCM0180
. ASCM0181
. ASCM0182
. ASCM0183
. ASCM0184
. ASCM0185
. ASCM0186
. ASCM0187
. ASCM0188
. ASCM0189
. ASCM0190
. ASCM0191
. ASCM0192
. ASCM0193
. ASCM0194
. ASCM0195
. ASCM0196
. ASCM0197
. ASCM0198
. ASCM0199
. ASCM0200
. ASCM0201
. ASCM0202
. ASCM0203
. ASCM0204
. ASCM0205
. ASCM0206
. ASCM0207
. ASCM0208
. ASCM0209
. ASCM0210
. ASCM0211
. ASCM0212
. ASCM0213
. ASCM0214
. ASCM0215
. ASCM0216
. ASCM0217
. ASCM0218
. ASCM0219
. ASCM0220
. ASCM0221
. ASCM0222
. ASCM0223
. ASCM0224
. ASCM0225
. ASCM0226
. ASCM0227

```

```

1 228. C      PI(2,J)=1.0D0
1 229. C      TAU(1,J)=0.0D0
1 230. C      TAU(2,J)=CSTHET(J)
1 231. C
1 232. C      212 CONTINUE
1 233. C
1 234. C      C SET: W FUNCTION, AN, BN, ANP, BNP
1 235. C
1 236. C      220
1 237. C      T(1)=DCOS(X)
1 238. C      T(2)=DSIN(X)
1 239. C      WM1=DCMLPX(T(1),-T(2))
1 240. C      WN(1)=DCMLPX(T(2),T(1))
1 241. C      WN(2)=XI*WN(1)-WM1
1 242. C
1 243. C      TC1=A(1)*MI+XI
1 244. C      TC2=A(1)*M+XI
1 245. C      AN=(TC1*TA(3)-TA(1))/(TC1*WN(2))-N(1)
1 246. C      BN=(TC2*TA(3)-TA(1))/(TC2*WN(2))-N(1)
1 247. C      ANP=AN
1 248. C      BNP=BN
1 249. C
1 250. C      C SET: COMPLEX AMPLITUDES(S1,S2)
1 251. C      C FOR BLOCKS 200 - 300:
1 252. C      C FMX(1,J,K)=REAL PART OF S1
1 253. C      C FMX(2,J,K)=IMAGINARY PART OF S1
1 254. C      C FMX(3,J,K)=REAL PART OF S2
1 255. C      C FMX(4,J,K)=IMAGINARY PART OF S2
1 256. C      C KK=1: FOR THETAD(J), KK=2 FOR 180.0-THETAD(J)
1 257. C
1 258. C      230
1 259. C      T(1)=1.5000
1 260. C      TB(1)=T(1)*TB(1)
1 261. C      TR(2)=T(1)*TB(2)
1 262. C      TC(1)=T(1)*TC(1)
1 263. C      TC(2)=T(1)*TC(2)
1 264. C
1 265. C      DO 231 J=1,NTHETA
1 266. C      T(5)=TAU(2,J)
1 267. C
1 268. C      T(1)=TC(1)*T(5)
1 269. C      T(2)=TC(2)*T(5)
1 270. C      T(3)=TB(1)*T(5)
1 271. C      T(4)=TB(2)*T(5)
1 272. C
1 273. C      T(5)=PI(2,J)
1 274. C
1 275. C      FMX(1,J,1)=TB(1)*T(5)
1 276. C      FMX(1,J,2)=FMX(1,J,1)
1 277. C      FMX(1,J,1)=FMX(1,J,1)+T(1)
1 278. C      FMX(1,J,2)=FMX(1,J,2)-T(1)
1 279. C
1 280. C      FMX(2,J,1)=TB(2)*T(5)
1 281. C      FMX(2,J,2)=FMX(2,J,1)
1 282. C      FMX(2,J,1)=FMX(2,J,1)+T(2)
1 283. C      FMX(2,J,2)=FMX(2,J,2)-T(2)
1 284. C
1 285. C      FMX(3,J,1)=TC(1)*T(5)

```

```

. ASCM0228
. ASCM0229
. ASCM0230
. ASCM0231
. ASCM0232
. ASCM0233
. ASCM0234
. ASCM0235
. ASCM0236
. ASCM0237
. ASCM0238
. ASCM0239
. ASCM0240
. ASCM0241
. ASCM0242
. ASCM0243
. ASCM0244
. ASCM0245
. ASCM0246
. ASCM0247
. ASCM0248
. ASCM0249
. ASCM0250
. ASCM0251
. ASCM0252
. ASCM0253
. ASCM0254
. ASCM0255
. ASCM0256
. ASCM0257
. ASCM0258
. ASCM0259
. ASCM0260
. ASCM0261
. ASCM0262
. ASCM0263
. ASCM0264
. ASCM0265
. ASCM0266
. ASCM0267
. ASCM0268
. ASCM0269
. ASCM0270
. ASCM0271
. ASCM0272
. ASCM0273
. ASCM0274
. ASCM0275
. ASCM0276
. ASCM0277
. ASCM0278
. ASCM0279
. ASCM0280
. ASCM0281
. ASCM0282
. ASCM0283
. ASCM0284
. ASCM0285

```

```

1 285. FMX(3,J,2)=FMX(3,J,1)
1 287. FMX(3,J,1)=FMX(3,J,1)+T(3)
1 288. FMX(3,J,2)=FMX(3,J,2)-T(3)
1 289.
1 290. FMX(4,J,1)=TC(2)*T(5)
1 291. FMX(4,J,2)=FMX(4,J,1)
1 292. FMX(4,J,1)=FMX(4,J,1)+T(4)
1 293. FMX(4,J,2)=FMX(4,J,2)-T(4)
1 294.
1 295.
1 296.
1 297.
1 298.
1 299.
1 300.
1 301.
1 302.
1 303.
1 304.
1 305.
1 306.
1 307.
1 308.
1 309.
1 310.
1 311.
1 312.
1 313.
1 314.
1 315.
1 316.
2 317.
2 318.
2 319.
2 320.
2 321.
2 322.
2 323.
1 324.
1 325.
1 326.
1 327.
1 328.
1 329.
1 330.
1 331.
1 332.
1 333.
1 334.
1 335.
1 336.
1 337.
1 338.
1 339.
1 340.
1 341.
1 342.
1 343.

C 231 CONTINUE
C SET QEXT,QSCAT, AND CTBROS
240 QEXT=2.000*(TB(1)+TC(1))
    QSCAT=(TB(1)**2+TB(2)**2+TC(1)**2+TC(2)**2)/0.7500
    CTBROS=0.000
C
C END OF BLOCK 200: ASCMIE
C-----
C BLOCK 300: ASCMIE SERIES SUMMATIONS
C
300 DO 510 NN=2,NMX2
    * NOTE THIS DO LOOP TERMINATES IN BLOCK 500
C
    T(1)=2*NN-1
    T(2)=NN-1
    T(3)=2*NN+1
C
    DO 302 J=1,NTHETA
        PI(3,J)=(T(1)*PI(2,J)+CSTHET(J)-NN*PI(1,J))/T(2)
        TAU(3,J)=CSTHET(J)*(PI(3,J)-PI(1,J))-T(1)*SIZTHT(J)*PI(2,J)+
        + TAU(1,J)
    302 CONTINUE
C
C SET W'S,AN,BN
310 WM1=WN(1)
    WN(1)=WN(2)
    WN(2)=T(1)*XI+WN(1)*WN(2)
C
    TC1=A(NN)*MI+NN*XI
    TC2=A(NN)*M+NN*XI
    AN=(TC1*TA(3)-TA(1))/(TC1*WN(2)-N(1))
    BN=(TC2*TA(3)-TA(1))/(TC2*WN(2)-N(1))
C
C SET QEXT,QSCAT,CTBROS
320 T(5)=NN
    T(4)=T(1)/(T(2)*T(5))
    T(2)=(T(2)*(T(5)+1.000))/T(5)
C
    CTBROS=CTBROS+T(2)*(TD(1)*TB(1)+TD(2)*TB(2)+TE(1)*TC(1)+
    + TE(2)*TC(2))+T(4)*(TD(1)*TE(1)+TD(2)*TE(2))
    QEXT=QEXT+T(3)*(TB(1)+TC(1))
    T(4)=TB(1)**2+TB(2)**2+TC(1)**2+TC(2)**2
    QSCAT=QSCAT+T(3)*T(4)

```

```

* ASCM0286
* ASCM0287
* ASCM0288
* ASCM0289
* ASCM0290
* ASCM0291
* ASCM0292
* ASCM0293
* ASCM0294
* ASCM0295
* ASCM0296
* ASCM0297
* ASCM0298
* ASCM0299
* ASCM0300
* ASCM0301
* ASCM0302
* ASCM0303
* ASCM0304
* ASCM0305
* ASCM0306
* ASCM0307
* ASCM0308
* ASCM0309
* ASCM0310
* ASCM0311
* ASCM0312
* ASCM0313
* ASCM0314
* ASCM0315
* ASCM0316
* ASCM0317
* ASCM0318
* ASCM0319
* ASCM0320
* ASCM0321
* ASCM0322
* ASCM0323
* ASCM0324
* ASCM0325
* ASCM0326
* ASCM0327
* ASCM0328
* ASCM0329
* ASCM0330
* ASCM0331
* ASCM0332
* ASCM0333
* ASCM0334
* ASCM0335
* ASCM0336
* ASCM0337
* ASCM0338
* ASCM0339
* ASCM0340
* ASCM0341
* ASCM0342
* ASCM0343

```

```

1 344. C
1 345. C SET COMPLEX AMPLITUDES
1 346.
1 347. 330 T(2)=NN*(NN+1)
1 348. T(1)=T(3)/T(2)
1 349. KK=(NN/2)*2
1 350. C
1 351. DO 331 J=1,NTHETA
1 352. C
2 353. FMX(1,J,1)=FMX(1,J,1)+T(1)*(TB(1)*PI(3,J)+TC(1)*TAU(3,J))
2 354. FMX(2,J,1)=FMX(2,J,1)+T(1)*(TB(2)*PI(3,J)+TC(2)*TAU(3,J))
2 355. FMX(3,J,1)=FMX(3,J,1)+T(1)*(TC(1)*PI(3,J)+TB(1)*TAU(3,J))
2 356. FMX(4,J,1)=FMX(4,J,1)+T(1)*(TC(2)*PI(3,J)+TB(2)*TAU(3,J))
2 357. C
2 358. IF(KK.NE.NN) THEN
2 359. C
3 360. FMX(1,J,2)=FMX(1,J,2)+T(1)*(TB(1)*PI(3,J)-TC(1)*TAU(3,J))
3 361. FMX(2,J,2)=FMX(2,J,2)+T(1)*(TB(2)*PI(3,J)-TC(2)*TAU(3,J))
3 362. FMX(3,J,2)=FMX(3,J,2)+T(1)*(TC(1)*PI(3,J)-TB(1)*TAU(3,J))
3 363. FMX(4,J,2)=FMX(4,J,2)+T(1)*(TC(2)*PI(3,J)-TB(2)*TAU(3,J))
3 364. C
3 365. ELSE
3 366. C
3 367. FMX(1,J,2)=FMX(1,J,2)+T(1)*(-TB(1)*PI(3,J)+TC(1)*TAU(3,J))
3 368. FMX(2,J,2)=FMX(2,J,2)+T(1)*(-TB(2)*PI(3,J)+TC(2)*TAU(3,J))
3 369. FMX(3,J,2)=FMX(3,J,2)+T(1)*(-TC(1)*PI(3,J)+TB(1)*TAU(3,J))
3 370. FMX(4,J,2)=FMX(4,J,2)+T(1)*(-TC(2)*PI(3,J)+TB(2)*TAU(3,J))
3 371. C
3 372. END IF
3 373. C
3 374. 331 CONTINUE
2 375. C
2 376. C CHECK FOR CONVERGENCE
2 377. C
1 378. 340 ENDSUM=T(4).LT.1.0D-14
1 379. IF(.NOT.ENDSUM) THEN
1 380. * NOTE THIS IF THEN-ELSE ENDS IN BLOCK 500
1 381. C
1 382. C UPDATE PI.TAU.ANP.BNP FOR NEXT ITERATION
1 383. C
2 384. 350 DO 351 J=1,NTHETA
2 385. C
3 386. PI(1,J)=PI(2,J)
3 387. PI(2,J)=PI(3,J)
3 388. C
3 389. TAU(1,J)=TAU(2,J)
3 390. TAU(2,J)=TAU(3,J)
3 391. C
3 392. 351 CONTINUE
3 393. C
3 394. ANP=AN
3 395. BNP=BN
2 396. C
2 397. C END OF BLOCK 300: ASCMIE
2 398. C BLOCK 400: ASCMIE CALCULATE FINAL RESULTS
2 399. C-----
2 400. SUMMATION COMPLETE
2 401. C-----

```

```

. ASCM0344
. ASCM0345
. ASCM0346
. ASCM0347
. ASCM0348
. ASCM0349
. ASCM0350
. ASCM0351
. ASCM0352
. ASCM0353
. ASCM0354
. ASCM0355
. ASCM0356
. ASCM0357
. ASCM0358
. ASCM0359
. ASCM0360
. ASCM0361
. ASCM0362
. ASCM0363
. ASCM0364
. ASCM0365
. ASCM0366
. ASCM0367
. ASCM0368
. ASCM0369
. ASCM0370
. ASCM0371
. ASCM0372
. ASCM0373
. ASCM0374
. ASCM0375
. ASCM0376
. ASCM0377
. ASCM0378
. ASCM0379
. ASCM0380
. ASCM0381
. ASCM0382
. ASCM0383
. ASCM0384
. ASCM0385
. ASCM0386
. ASCM0387
. ASCM0388
. ASCM0389
. ASCM0390
. ASCM0391
. ASCM0392
. ASCM0393
. ASCM0394
. ASCM0395
. ASCM0396
. ASCM0397
. ASCM0398
. ASCM0399
. ASCM0400
. ASCM0401

```

```

402. C
403. C-----
404.
405. ELSE
406. DO 402 J=1,NTHETA
407. DO 402 KK=1,2
408. C
409. DO 401 I=1,4
410. T(I)=FMX(I,J,KK)
411. 401 CONTINUE
412. C
413. C SET F MATRIX ELEMENTS
414. C
415. FMX(1,J,KK)=T(3)**2+T(4)**2
416. FMX(2,J,KK)=T(1)**2+T(2)**2
417. FMX(3,J,KK)=T(1)*T(3)+T(2)*T(4)
418. FMX(4,J,KK)=T(2)*T(3)-T(4)*T(1)
419. C
420. 402 CONTINUE
421. C
422. C SET QCAT,QCBROS,QIBROS
423.
424. 410 T(1)=2.0D0*XI**2
425. QEXT=QEXT+T(1)
426. QSCAT=QSCAT+T(1)
427. CTBROS=2.0D0*CTBROS+T(1)
428. C
429. C END OF BLOCK 400: ASCMIE
430. C
431. C-----
432. C BLOCK 500: ASCMIE RETURN
433.
434. 500 RETURN
435. C
436. C
437. C-----
438. END IF
439. C
440. 510 CONTINUE
441. C
442. C END OF BLOCK 500: ASCMIE
443. C
444. C BLOCK 600: ASCMIE ERROR SECTION - CONVERGENCE NOT OBTAINED
445.
446. 600 WRITE(UNIT=6,FMT=9600) NMIX2
447. 9600 FORMAT(' NMIX2 =',110,' IS TOO SMALL. CONVERGENCE'
448. +
449. STOP
450. C
451. C END OF BLOCK 600: ASCMIE
452.
453. END

```

```

. ASCM0402
. ASCM0403
. ASCM0404
. ASCM0405
. ASCM0406
. ASCM0407
. ASCM0408
. ASCM0409
. ASCM0410
. ASCM0411
. ASCM0412
. ASCM0413
. ASCM0414
. ASCM0415
. ASCM0416
. ASCM0417
. ASCM0418
. ASCM0419
. ASCM0420
. ASCM0421
. ASCM0422
. ASCM0423
. ASCM0424
. ASCM0425
. ASCM0426
. ASCM0427
. ASCM0428
. ASCM0429
. ASCM0430
. ASCM0431
. ASCM0432
. ASCM0433
. ASCM0434
. ASCM0435
. ASCM0436
. ASCM0437
. ASCM0438
. ASCM0439
. ASCM0440
. ASCM0441
. ASCM0442
. ASCM0443
. ASCM0444
. ASCM0445
. ASCM0446
. ASCM0447
. ASCM0448
. ASCM0449
. ASCM0450
. ASCM0451
. ASCM0452
. ASCM0453

```

# F O R T R A N   C R O S S   R E F E R E N C E   L I S T I N G

## S U B R O U T I N E   A S C I I Z

NAME	USE	LINE NUMBER
100	DEFINED	89
110	DEFINED	104
120	DEFINED	114
130	DEFINED	126
140	DEFINED	141
141	DEFINED	155
141	USED	141
150	DEFINED	159
160	DEFINED	181
200	DEFINED	195
201	DEFINED	205
201	USED	203
210	DEFINED	209
211	DEFINED	223
211	USED	209
212	DEFINED	233
212	USED	225
220	DEFINED	237
230	DEFINED	258
231	DEFINED	295
231	USED	264
240	DEFINED	299
300	DEFINED	309
302	DEFINED	320
302	USED	316
310	DEFINED	324
320	DEFINED	335
330	DEFINED	347
331	DEFINED	374
331	USED	351
340	DEFINED	378
350	DEFINED	384
351	DEFINED	392
351	USED	384
400	DEFINED	406
401	DEFINED	411
401	USED	409
402	DEFINED	420
402	USED	406
410	DEFINED	424
500	DEFINED	434
510	DEFINED	440
510	USED	309
600	DEFINED	446
9100	DEFINED	96
9100	USED	95
9110	DEFINED	109
9110	USED	108
9120	DEFINED	116
9120	USED	115
9130	DEFINED	132
9130	USED	131

407





K	SPEC	287	287	288	288	290	291	291	292
	USED	3	36						318
KK	SET	114	115	159	159	173	195		353
	USED	349	407	407					355
M	SPEC	358	410	415	416	417	418		360
	SET	60							362
	SET	195							367
MI	USED	196	244	329					369
	SPEC	60							386
	SET	196							410
MATHET	USED	198	243	328					415
	SET	24							
N	USED	48	48	48	48	48	48	126	130
	SPEC	3	36						
	USED	104	108	159	159	173	195		
NMX0	SET	24							
	USED	24	60						
NMX1	SET	161	166						
	USED	164	164	165	171	200			
NMX2	SET	162	167						
	USED	309	446						
NN	SET	203	203	309	309	312	313	314	317
	USED	204	204	204	204	335	347	347	349
	USED	328	328	329	329				
NN1	SET	358							
	USED	200							
NTHETA	SPEC	201	203	203					
	USED	3							
PI	SPEC	126	126	131	141	209	225	264	316
	USED	351	384	406					
	SET	48							
OEXT	SPEC	227	228	317	386	387			
	USED	273	317	317	318	318	318	353	354
	USED	355	356	360	361	362	363	367	368
	USED	369	370	386	387				
QEXT	SPEC	3	36						
	SET	299	341	425					
QSCAT	USED	341	425						
	SPEC	3	36	426					
	USED	300	343						
RAD	SET	24	426						
	USED	219							
SI2THT	SPEC	48							
	USED	213	216	220					
	USED	318							
STOP	SPEC	31	98	118	135	150	176		
	SET	89							

## 26

[illegible]

X	SPEC	3	36	159	159	173	197	237	238
	USED	90	95						
XI	SPEC	36							
	SET	197							
	USED	198	241	243	244	326	328	329	424
XMI	SPEC	60							
	SET	198							
	USED	204	204						

# F O R T R A N S T O R A G E M A P

NAME	TYPE	MODE	RELATIVE ADDRESS	LOC COUNT	ELEMENT LENGTH	NUMBER OF ELEMENTS	COMMON SIZE	PROGRAM UNIT
100L	USRDEFND	STMTNMBR	000042	1				SUBROUTINE ASCMIE
110L	USRDEFND	STMTNMBR	000054	1				SUBROUTINE ASCMIE
120L	USRDEFND	STMTNMBR	000063	1				SUBROUTINE ASCMIE
130L	USRDEFND	STMTNMBR	000073	1				SUBROUTINE ASCMIE
140L	USRDEFND	STMTNMBR	000107	1				SUBROUTINE ASCMIE
141L	USRDEFND	STMTNMBR	000134	1				SUBROUTINE ASCMIE
150L	USRDEFND	STMTNMBR	000141	1				SUBROUTINE ASCMIE
160L	USRDEFND	STMTNMBR	000223	1				SUBROUTINE ASCMIE
200L	USRDEFND	STMTNMBR	000227	1				SUBROUTINE ASCMIE
201L	USRDEFND	STMTNMBR	000350	1				SUBROUTINE ASCMIE
210L	USRDEFND	STMTNMBR	000354	1				SUBROUTINE ASCMIE
211L	USRDEFND	STMTNMBR	000417	1				SUBROUTINE ASCMIE
212L	USRDEFND	STMTNMBR	000440	1				SUBROUTINE ASCMIE
220L	USRDEFND	STMTNMBR	000441	1				SUBROUTINE ASCMIE
230L	USRDEFND	STMTNMBR	000664	1				SUBROUTINE ASCMIE
231L	USRDEFND	STMTNMBR	001001	1				SUBROUTINE ASCMIE
240L	USRDEFND	STMTNMBR	001002	1				SUBROUTINE ASCMIE
300L	USRDEFND	STMTNMBR	001025	1				SUBROUTINE ASCMIE
302L	USRDEFND	STMTNMBR	001134	1				SUBROUTINE ASCMIE
310L	USRDEFND	STMTNMBR	001135	1				SUBROUTINE ASCMIE
320L	USRDEFND	STMTNMBR	001311	1				SUBROUTINE ASCMIE
330L	USRDEFND	STMTNMBR	001403	1				SUBROUTINE ASCMIE
331L	USRDEFND	STMTNMBR	001574	1				SUBROUTINE ASCMIE
340L	USRDEFND	STMTNMBR	001577	1				SUBROUTINE ASCMIE
350L	USRDEFND	STMTNMBR	001606	1				SUBROUTINE ASCMIE
351L	USRDEFND	STMTNMBR	001620	1				SUBROUTINE ASCMIE
400L	USRDEFND	STMTNMBR	001632	1				SUBROUTINE ASCMIE
402L	USRDEFND	STMTNMBR	001720	1				SUBROUTINE ASCMIE
410L	USRDEFND	STMTNMBR	001722	1				SUBROUTINE ASCMIE
500L	USRDEFND	STMTNMBR	001740	1				SUBROUTINE ASCMIE
510L	USRDEFND	STMTNMBR	001741	1				SUBROUTINE ASCMIE
600L	USRDEFND	STMTNMBR	001761	1				SUBROUTINE ASCMIE
9100F	FORMAT	STMTNMBR	000052	4				SUBROUTINE ASCMIE
9110F	FORMAT	STMTNMBR	000064	4				SUBROUTINE ASCMIE
9120F	FORMAT	STMTNMBR	000100	4				SUBROUTINE ASCMIE
9130F	FORMAT	STMTNMBR	000110	4				SUBROUTINE ASCMIE
9140F	FORMAT	STMTNMBR	000142	4				SUBROUTINE ASCMIE
9150F	FORMAT	STMTNMBR	000161	4				SUBROUTINE ASCMIE
9151F	FORMAT	STMTNMBR	000176	4				SUBROUTINE ASCMIE
9600F	FORMAT	STMTNMBR	000206	4				SUBROUTINE ASCMIE
A	COMPLEX	ARRAY	000000	0	16	7000		SUBROUTINE ASCMIE
AN	COMPLEX	SCALAR	071731	0	16			SUBROUTINE ASCMIE
ANP	COMPLEX	SCALAR	071721	0	16			SUBROUTINE ASCMIE
BN	COMPLEX	SCALAR	071725	0	16			SUBROUTINE ASCMIE
BNP	COMPLEX	SCALAR	071715	0	16			SUBROUTINE ASCMIE
CSTHET	REAL	ARRAY	067722	0	8	100		SUBROUTINE ASCMIE
CTBROS	REAL	SCALAR	DUMMY	0	8			SUBROUTINE ASCMIE
ENDSUM	LOGICAL	SCALAR	066571	0	4			SUBROUTINE ASCMIE
FMX	REAL	ARRAY	DUMMY	0	8	800		SUBROUTINE ASCMIE
I	INTEGER	SCALAR	051540	0	4			SUBROUTINE ASCMIE
J	INTEGER	SCALAR	066541	0	4			SUBROUTINE ASCMIE
K	REAL	SCALAR	DUMMY	0	8			SUBROUTINE ASCMIE

NAME	TYPE	MODE	RELATIVE ADDRESS	LOC CUUNIT	ELEMENT LENGTH	NUMBER OF ELEMENTS	COMMON SIZE	PROGRAM UNIT	F2SESS	DSQRT	FSTOPS	FDCOV\$
KK	INTEGER	SCALAR	070552	0	4			SUBROUTINE ASCMIE				
M	COMPLEX	SCALAR	066543	0	16			SUBROUTINE ASCMIE				
MI	COMPLEX	SCALAR	070553	0	16			SUBROUTINE ASCMIE				
N	REAL	SCALAR	DUMMY		8			SUBROUTINE ASCMIE				
NMX1	INTEGER	SCALAR	071713	0	4			SUBROUTINE ASCMIE				
NMX2	INTEGER	SCALAR	071714	0	4			SUBROUTINE ASCMIE				
NN	INTEGER	SCALAR	070557	0	4			SUBROUTINE ASCMIE				
NN1	INTEGER	SCALAR	066542	0	4			SUBROUTINE ASCMIE				
NTHETA	INTEGER	SCALAR	DUMMY		4			SUBROUTINE ASCMIE				
PI	REAL	ARRAY	070560	0	8	300		SUBROUTINE ASCMIE				
QEXT	REAL	SCALAR	DUMMY		8			SUBROUTINE ASCMIE				
QSCAT	REAL	SCALAR	DUMMY		8			SUBROUTINE ASCMIE				
S12THT	REAL	SCALAR	070242	0	8	100		SUBROUTINE ASCMIE				
STOP	LOGICAL	SCALAR	071710	0	4			SUBROUTINE ASCMIE				
T	REAL	ARRAY	066547	0	8			SUBROUTINE ASCMIE				
TA	REAL	ARRAY	071735	0	8	5		SUBROUTINE ASCMIE				
TAU	REAL	ARRAY	071735	0	8	4		SUBROUTINE ASCMIE				
TB	REAL	ARRAY	066572	0	8	300		SUBROUTINE ASCMIE				
TC	REAL	ARRAY	071731	0	8	2		SUBROUTINE ASCMIE				
TC1	COMPLEX	SCALAR	071725	0	8	2		SUBROUTINE ASCMIE				
TC2	COMPLEX	SCALAR	066561	0	16			SUBROUTINE ASCMIE				
TD	REAL	SCALAR	066565	0	16			SUBROUTINE ASCMIE				
TE	REAL	ARRAY	071721	0	8	2		SUBROUTINE ASCMIE				
THETAD	REAL	ARRAY	071715	0	8	2		SUBROUTINE ASCMIE				
WM1	COMPLEX	SCALAR	DUMMY		8	100		SUBROUTINE ASCMIE				
WN	COMPLEX	SCALAR	070232	0	16			SUBROUTINE ASCMIE				
X	REAL	ARRAY	071735	0	16	2		SUBROUTINE ASCMIE				
X1	REAL	SCALAR	DUMMY		8			SUBROUTINE ASCMIE				
XMI	COMPLEX	SCALAR	071711	0	8			SUBROUTINE ASCMIE				
			070236	0	16			SUBROUTINE ASCMIE				

ENTRY POINTS  
ASCMIE

ENTRY 000016

1

EXTERNAL REFERENCES  
IBJ\$ BDICALL\$  
DCOS D\$IN

BDIREF\$

ASCMIE

WTC\$

FMT\$

F2SE\$

DSQRT

FSTOPS

FDCOV\$

END FTN 1015 IBANK 29981 DBANK

@RESUME.H

# APPENDIX B

## FTN COMPILATION LISTING OF MAIN PROGRAM MIECHK

```

@FTN.DRSZ CLASS.MIECHK
FTN 8R *11/24/80-12:51(B.)
1. DOUBLE PRECISION RFR,RFI,X,QEXT,QSCAT,QABS,THETD(100),AJX,
2. ELTRMX(4,100,2),ALAM,CTBROS,AVCSTH,
3. CON/3.1415926535897932D0/
4. REAL AIN(100,2),POLR(100,2)
5. 90 READ(5,10,END=1000) RFR,RFI,X,JX,AJX,MMM
6. READ(5,12) THETD(1)
7. IF( MMM.EQ.0 ) GO TO 95
8. IF MMM = 0, THE VALUE OF X REMAINS UNCHANGED, OTHERWISE, X IS
9. CHANGED TO ( 2.0 * PI * X ) / ( MMM * 1.0D-3 ).
10. ALAM = MMM * 1.0D-3
11. X = (2.0D0 * CON * X) / ALAM
12. DO 100 J = 2,JX
13. THETD(J) = (J - 1) * AJX + THETD(1)
14. CONTINUE
15. CALL ASCMIE( X,RFR,RFI,THETD,JX,QEXT,QSCAT,CTBROS,ELTRMX )
16. QABS = QEXT - QSCAT
17. AVCSTH = CTBROS / QSCAT
18. DO 150 K = 1,2
19. DO 150 J = 1,JX
20. AIN(J,K) = ELTRMX(1,J,K) + ELTRMX(2,J,K)
21. POLR(J,K) = ( ELTRMX(2,J,K) - ELTRMX(1,J,K) ) / AIN(J,K)
22. AIN(J,K) = 0.5 * AIN(J,K)
23. CONTINUE
24. WRITE(6,20)
25. WRITE(6,25) X
26. WRITE(6,30) RFR,RFI
27. WRITE(6,35)
28. WRITE(6,40) (THETD(J),(ELTRMX(I,J,1),I= 1,4),AIN(J,1),POLR(J,1),
29. 1J = 1,JX)
30. DO 200 J = 1,JX
31. THETD(J) = 180.0D0 - THETD(J)
32. CONTINUE
33. JMX = JX - 1
34. DO 210 J = 1,JMX
35. JJ = JX - J
36. WRITE(6,40) THETD(JJ),(ELTRMX(I,JJ,2),I = 1,4),
37. 1 AIN(JJ,2),POLR(JJ,2)
38. CONTINUE
39. WRITE(6,45) QEXT
40. WRITE(6,50) QSCAT
41. WRITE(6,55) QABS
42. WRITE(6,60) AVCSTH
43. WRITE(6,20)
44. GO TO 90
45. 1000 STOP
46. C
47. C
48. C
49. C
50. 10 FORMAT( )
51. 12 FORMAT(D15.5)
52. 20 FORMAT('1')
53. 25 FORMAT('10',10X,'ELEMENTS OF THE TRANSFORMATION MATRIX FOR A SPHERE
1 WITH SIZE PARAMETER = ',F15.5)

```

```

54. 30 FORMAT('0'.10X,'REFRACTIVE INDEX. REAL = '.015.5. 0X,'IMAGINARY = '
55. 1015.5//)
56. 35 FORMAT('0'.2X,'ANGLE'.9X,'M SUB 2'.5X,'M SUB 1'.8X,'S SUB 21'.6X
57. 1,'0 SUB 21'.8X,'INTENSITY'.6X,'POLARIZATION'//)
58. 40 FORMAT(F10.4,5E15.6,F15.4)
59. 45 FORMAT('0'.9X,'EFFICIENCY FACTOR FOR EXTINCTION'.E15.6)
60. 50 FORMAT('0'.9X,'EFFICIENCY FACTOR FOR SCATTERING'.E15.6)
61. 55 FORMAT('0'.9X,'EFFICIENCY FACTOR FOR ABSORPTION'.E15.6)
62. 60 FORMAT('0'.9X,'ASYMMETRY FACTOR'.E15.6//)
63.      END

```

# F O R T R A N   C R O S S   R E F E R E N C E   L I S T I N G

## MAIN PROGRAM

NAME	USE	LINE NUMBER
10	DEFINED	49
	USED	5
12	DEFINED	50
	USED	6
20	DEFINED	51
	USED	24
25	DEFINED	52
	USED	25
30	DEFINED	54
	USED	26
35	DEFINED	56
	USED	27
40	DEFINED	58
	USED	28
45	DEFINED	59
	USED	39
50	DEFINED	60
	USED	40
55	DEFINED	61
	USED	41
60	DEFINED	62
	USED	42
90	DEFINED	5
	USED	44
95	DEFINED	12
	USED	7
100	DEFINED	14
	USED	12
150	DEFINED	23
	USED	18
200	DEFINED	32
	USED	30
210	DEFINED	38
	USED	34
1000	DEFINED	45
	USED	5
AIN	SPEC	4
	SET	20
	USED	21
AUX	SPEC	1
	SET	5
	USED	13
ALAM	SPEC	1
	SET	10
	USED	11
ASCMIE	USED	15
AVCSTH	SPEC	1
	SET	17
	USED	42
CON	SPEC	1
	SET	1
	USED	11
		22
		28
		36
		19
		43
		36



[illegible]

NAME	TYPE	MODE	RELATIVE ADDRESS	LOC COUNT	ELEMENT LENGTH	NUMBER OF ELEMENTS	COMMON SIZE	PROGRAM UNIT
10F	FORMAT	STMTNMBR	000005	4				MAIN PROGRAM
12F	FORMAT	STMTNMBR	000006	4				MAIN PROGRAM
20F	FORMAT	STMTNMBR	000010	4				MAIN PROGRAM
25F	FORMAT	STMTNMBR	000012	4				MAIN PROGRAM
30F	FORMAT	STMTNMBR	000040	4				MAIN PROGRAM
35F	FORMAT	STMTNMBR	000057	4				MAIN PROGRAM
40F	FORMAT	STMTNMBR	000107	4				MAIN PROGRAM
45F	FORMAT	STMTNMBR	000113	4				MAIN PROGRAM
50F	FORMAT	STMTNMBR	000127	4				MAIN PROGRAM
55F	FORMAT	STMTNMBR	000143	4				MAIN PROGRAM
60F	FORMAT	STMTNMBR	000157	4				MAIN PROGRAM
90L	USRDEFND	STMTNMBR	000004	1				MAIN PROGRAM
95L	USRDEFND	STMTNMBR	000026	1				MAIN PROGRAM
100L	USRDEFND	STMTNMBR	000044	1				MAIN PROGRAM
150L	USRDEFND	STMTNMBR	000110	1				MAIN PROGRAM
200L	USRDEFND	STMTNMBR	000142	1				MAIN PROGRAM
210L	USRDEFND	STMTNMBR	000171	1				MAIN PROGRAM
1000L	USRDEFND	STMTNMBR	000215	1				MAIN PROGRAM
AIN	REAL	ARRAY	003745	0	4	200		MAIN PROGRAM
AJX	REAL	SCALAR	004255	0	8			MAIN PROGRAM
ALAM	REAL	SCALAR	000323	0	8			MAIN PROGRAM
AVGCSH	REAL	SCALAR	000311	0	8			MAIN PROGRAM
CON	REAL	SCALAR	004261	0	8			MAIN PROGRAM
CTBRQS	REAL	SCALAR	004263	0	8			MAIN PROGRAM
ELTRMX	REAL	ARRAY	000325	0	8	800		MAIN PROGRAM
I	INTEGER	SCALAR	000313	0	4			MAIN PROGRAM
J	INTEGER	SCALAR	000314	0	4			MAIN PROGRAM
JJ	INTEGER	SCALAR	003741	0	4			MAIN PROGRAM
JMX	INTEGER	SCALAR	000310	0	4			MAIN PROGRAM
K	INTEGER	SCALAR	003744	0	4			MAIN PROGRAM
KMM	INTEGER	SCALAR	000315	0	4			MAIN PROGRAM
POLR	REAL	ARRAY	000320	0	4			MAIN PROGRAM
QAES	REAL	SCALAR	003425	0	4	200		MAIN PROGRAM
QEXT	REAL	SCALAR	004257	0	8			MAIN PROGRAM
QSCAT	REAL	SCALAR	000316	0	8			MAIN PROGRAM
RFI	REAL	SCALAR	003742	0	8			MAIN PROGRAM
RFR	REAL	SCALAR	003735	0	8			MAIN PROGRAM
THETD	REAL	SCALAR	003737	0	8			MAIN PROGRAM
X	REAL	ARRAY	000000	0	8	100		MAIN PROGRAM
		SCALAR	000321	0	8			MAIN PROGRAM

## ENTRY POINTS

ENTRY 000000

1

## EXTERNAL REFERENCES

IBUS\$      BDICALL\$    BDIREFS    FMAINS    FINITS    FMTES\$    F2SESS    ASCMIE    FMTCS\$    FSTOPS\$  
FEXITS

END FTM 144 IBANK 2526 DBANK

@RESUME.H

# APPENDIX C

## MAP LISTING OF ABSOLUTE ELEMENT ASCMIE

OMAP.S .CLASS.ASCMIE  
 MAP 30:11 574111 11/24/80 12:52:54  
 1. IN CLASS.MIECHK  
 2. IN CLASS.ASCMIE  
 3. LIB FTN.  
 4. END

AFCM STATUS OF OUTPUT ELEMENT=UNKNOWN  
 QUARTER-WORD SENSITIVE

ADDRESS LIMITS 001000 004037 1568 18ANK WORDS DECIMAL  
 040000 142845 34214 08ANK WORDS DECIMAL  
 STARTING ADDRESS 001631

SEGMENT	SMAINS	001000	004037	040000	142845				
ERUS/ENAFIX									
M3PKTS									
F2RTRNS									
F2ACTIVS/FORFTN									
F2TABX									
F2FCA									
FORCOMS/FORFTN									
F2CLOSE									
CERUS									
PMDSCOM(COMMONBLOCK)									
F2CON									
F2FRT									
WEKINTERFACE									
F2SCT									
F2INIT									
F2CDOCS									
F2EXIT									
F2IDENT									
CDDIVS/MATH									
DSINCOSS/MATH									
MOEROS(COMMONBLOCK)									
DSORTS/MATH									
MIECHK									
ASCMIE									

S(6) 14257 142611  
S(012) 142612 142645

COMMON BANKS REFERENCED

0400038 0400003 0400025 0400002 0400001  
SYSS-RLIBS. LEVEL 74R1  
END MAP. ERRORS: 0 TIME: 12.263 STORAGE: 13896/3/030777/073777

0RESUME.H

# APPENDIX D

## SAMPLE OUTPUT FROM EXECUTION OF ABSOLUTE ELEMENT ASCMIE

ELEMENTS OF THE TRANSFORMATION MATRIX FOR A SPHERE WITH SIZE PARAMETER = 1570.79600

REFRACTIVE INDEX. REAL = .13420+001 IMAGINARY = .10000+000

ANGLE	M SUB 2	M SUB 1	S SUB 21	D SUB 21	INTENSITY	POLARIZATION
.0000	.154427+013	.154427+013	.154427+013	.000000	.154427+013	.0000
1.0000	.191006+009	.191972+009	.191488+009	.210217+006	.191489+009	.0025
2.0000	.147108+008	.150618+008	.148905+008	-.376930+006	.148663+008	.0118
3.0000	.128131+007	.158655+007	.142506+007	-.455865+005	.143393+007	.1064
4.0000	.199123+007	.226270+007	.212165+007	.646080+005	.212696+007	.0638
5.0000	.200562+007	.222034+007	.211025+007	-.336779+004	.211298+007	.0508
6.0000	.104769+007	.122670+007	.113276+007	-.447543+005	.113720+007	.0787
7.0000	.533631+006	.705286+006	.613227+006	-.177689+005	.619459+006	.1386
8.0000	.550585+006	.719071+006	.629207+006	.298967+004	.634828+006	.1327
9.0000	.557855+006	.716762+006	.632268+006	-.929962+004	.637308+006	.1247
10.0000	.422135+006	.573725+006	.491758+006	-.190622+005	.497930+006	.1522
11.0000	.327684+006	.478442+006	.395779+006	-.116908+005	.403063+006	.1870
12.0000	.318546+006	.469143+006	.389519+006	-.688259+004	.393845+006	.1912
13.0000	.301075+006	.449385+006	.367652+006	-.114045+005	.375230+006	.1976
14.0000	.256418+006	.403351+006	.321327+006	-.132425+005	.320884+006	.2227
15.0000	.228798+006	.376102+006	.290154+006	-.103056+005	.302450+006	.2435
16.0000	.217879+006	.365087+006	.281859+006	-.100057+005	.291483+006	.2525
17.0000	.199721+006	.346162+006	.262675+006	-.117313+005	.272941+006	.2683
18.0000	.179548+006	.325754+006	.241581+006	-.112776+005	.252651+006	.2893
19.0000	.167236+006	.313355+006	.228681+006	-.104599+005	.240296+006	.3040
20.0000	.155008+006	.301334+006	.216399+006	-.110323+005	.228571+006	.3183
21.0000	.142512+006	.287390+006	.202072+006	-.111154+005	.214951+006	.3370
22.0000	.131931+006	.276225+006	.190606+006	-.106396+005	.204033+006	.3535
23.0000	.122759+006	.266202+006	.180452+006	-.107497+005	.194480+006	.3688
24.0000	.113108+006	.255539+006	.169669+006	-.107599+005	.184324+006	.3864
25.0000	.104690+006	.246070+006	.160163+006	-.104803+005	.175384+006	.4031
26.0000	.971025+005	.237257+006	.151423+006	-.104550+005	.167180+006	.4192
27.0000	.896129+005	.228419+006	.142700+006	-.103483+005	.159019+006	.4364
28.0000	.820251+005	.220303+006	.134706+006	-.101477+005	.151614+006	.4531
29.0000	.766734+005	.212432+006	.127245+006	-.100567+005	.144583+006	.4697
30.0000	.707459+005	.204929+006	.120001+006	-.988153+004	.137837+006	.4867
31.0000	.652480+005	.197310+006	.113002+006	-.971707+004	.131524+006	.5034
32.0000	.602428+005	.190914+006	.106813+006	-.956611+004	.125578+006	.5203
33.0000	.555177+005	.184330+006	.100728+006	-.937711+004	.119928+006	.5371
34.0000	.511189+005	.178027+006	.943507+005	-.921292+004	.114573+006	.5538
35.0000	.470063+005	.171957+006	.894524+005	-.902452+004	.109482+006	.5706
36.0000	.431974+005	.166150+006	.842556+005	-.884445+004	.104674+006	.5873
37.0000	.396351+005	.160957+006	.790025+005	-.866333+004	.100096+006	.6040
38.0000	.363254+005	.155193+006	.740154+005	-.846993+004	.957668+005	.6206
39.0000	.332576+005	.149041+006	.701529+005	-.828110+004	.916492+005	.6371
40.0000	.304033+005	.145093+006	.659224+005	-.809161+004	.877481+005	.6535
41.0000	.277480+005	.140333+006	.616991+005	-.790212+004	.840403+005	.6698
42.0000	.252864+005	.135761+006	.580811+005	-.771314+004	.801238+005	.6860
43.0000	.230011+005	.131564+006	.544509+005	-.752451+004	.771826+005	.7020
44.0000	.208047+005	.127130+006	.510040+005	-.733765+004	.740115+005	.7178
45.0000	.189241+005	.123074+006	.477277+005	-.715150+004	.708992+005	.7335
46.0000	.171109+005	.119166+006	.446150+005	-.695791+004	.681337+005	.7489

47.0000	154354+003	.115409+006	.416570+005	-6.3654+04	.253217+003	.7641
48.0000	.136899+003	.111792+06	.386462+005	-6.3582+04	.624061+05	.7790
49.0000	.124334+003	.108315+006	.361751+005	-6.4255+004	.604830+05	.7936
50.0000	.111511+005	.104968+006	.336363+005	-6.25375+004	.581597+005	.8079
51.0000	.994507+004	.101748+006	.312235+005	-6.603182+004	.558469+05	.8219
52.0000	.837859+004	.986499+005	.289304+005	-5.91273+004	.537442+05	.8355
53.0000	.782527+004	.956676+005	.267507+005	-5.74659+004	.517465+05	.8488
54.0000	.689925+004	.927976+005	.246790+005	-5.56353+004	.498481+05	.8616
55.0000	.605904+004	.900335+005	.227059+005	-5.1237+04	.486443+05	.8740
56.0000	.529735+004	.873728+005	.208381+005	-5.25710+004	.463301+05	.8859
57.0000	.459133+004	.849107+005	.190590+005	-5.11372+004	.447010+005	.8973
58.0000	.396239+004	.823433+005	.173671+005	-4.96365+004	.431528+05	.9082
59.0000	.339620+004	.799668+005	.157601+005	-4.81688+004	.410815+005	.9185
60.0000	.288872+004	.776775+005	.142319+005	-4.67344+004	.402831+005	.9283
61.0000	.243312+004	.754723+005	.127792+005	-4.53333+004	.390541+005	.9375
62.0000	.203486+004	.733469+005	.113982+005	-4.39354+004	.376909+05	.9460
63.0000	.168155+004	.712991+005	.100368+005	-4.26303+004	.364263+005	.9539
64.0000	.137304+004	.693254+005	.883776+004	-4.13286+004	.353492+005	.9612
65.0000	.110636+004	.674229+005	.765157+004	-4.00592+004	.342646+005	.9677
66.0000	.878718+003	.655888+005	.652400+004	-3.88220+004	.332338+005	.9736
67.0000	.687495+003	.638204+005	.545216+004	-3.76167+004	.322540+005	.9787
68.0000	.530226+003	.621152+005	.443331+004	-3.64429+004	.313227+005	.9831
69.0000	.404596+003	.604706+005	.345485+004	-3.53002+004	.304376+005	.9867
70.0000	.308429+003	.593843+005	.254430+004	-3.41879+004	.295963+005	.9896
71.0000	.239679+003	.573539+005	.166532+004	-3.31058+004	.287968+005	.9917
72.0000	.196425+003	.558774+005	.837678+003	-3.20532+004	.280369+005	.9935
73.0000	.176861+003	.544526+005	.472536+002	-3.10295+004	.273147+005	.9933
74.0000	.179288+003	.530776+005	.703969+003	-3.00343+004	.266284+005	.9922
75.0000	.202111+003	.517503+005	.141790+004	-2.90670+004	.259762+005	.9904
76.0000	.243832+003	.504690+005	.209337+004	-2.81269+004	.253564+05	.9878
77.0000	.303042+003	.492320+005	.274109+004	-2.72135+004	.247675+005	.9844
78.0000	.378416+003	.480374+005	.335371+004	-2.63263+004	.242079+005	.9802
79.0000	.458712+003	.468833+005	.393580+004	-2.54645+004	.236762+005	.9753
80.0000	.572761+003	.457695+005	.440884+004	-2.46277+004	.231711+005	.9696
81.0000	.689465+003	.446930+005	.501424+004	-2.38152+004	.226912+005	.9632
82.0000	.817792+003	.436530+005	.551334+004	-2.30265+004	.222354+005	.9561
83.0000	.956776+003	.426491+005	.598742+004	-2.22609+004	.218024+05	.9483
84.0000	.110351+004	.416769+005	.643769+004	-2.15175+004	.213912+005	.9399
85.0000	.126313+004	.407382+005	.695530+004	-2.07968+004	.210006+005	.9307
86.0000	.142884+004	.398308+005	.727136+004	-2.00971+004	.206298+005	.9210
87.0000	.160186+004	.389535+005	.765591+004	-1.94184+004	.202777+005	.9107
88.0000	.178156+004	.391053+005	.802293+004	-1.87599+004	.199434+005	.8978
89.0000	.275753+004	.342638+005	.959175+004	-1.57533+004	.185106+005	.8810
90.0000	.296439+004	.335688+005	.983896+004	-1.52055+004	.183666+005	.8577
91.0000	.317402+004	.328963+005	.101124+005	-1.46743+004	.180352+005	.8240
92.0000	.339598+004	.322454+005	.103527+005	-1.41594+004	.176157+005	.8099
93.0000	.359993+004	.316154+005	.105804+005	-1.36602+004	.176076+005	.7955
94.0000	.381536+004	.310055+005	.107964+005	-1.31764+004	.174104+005	.7809
95.0000	.403206+004	.304151+005	.110009+005	-1.27073+004	.172236+005	.7659
96.0000	.424965+004	.298434+005	.111948+005	-1.22527+004	.170465+005	.7507
97.0000	.446783+004	.292659+005	.113784+005	-1.18121+004	.168789+005	.7353
98.0000	.468632+004	.287538+005	.115522+005	-1.13850+004	.167201+005	.7197
99.0000	.490484+004	.282346+005	.117168+005	-1.09712+004	.165697+005	.7040
100.0000	.512315+004	.277318+005	.116725+005	-1.05701+004	.164275+005	.6881
101.0000	.534102+004	.272447+005	.120199+005	-1.01915+004	.162928+005	.6722
102.0000	.555821+004	.267728+005	.121593+005	-9.80492+003	.161655+005	.6562
103.0000	.577455+004	.263157+005	.123311+005	-9.14003+003	.160451+005	.6401
104.0000	.598982+004	.258728+005	.124156+005	-9.08649+003	.159313+005	.6240

109.0000	.620386+004	.254437+005	-.125333+005	-.874397+003	.158238+005	.6079
110.0000	.641650+004	.250279+005	-.126445+005	-.841213+003	.157222+005	.5919
111.0000	.652759+004	.240250+005	-.127405+005	-.809066+003	.156263+005	.5759
112.0000	.683698+004	.242346+005	-.128436+005	-.777925+003	.155358+005	.5599
113.0000	.704154+004	.238562+005	-.129421+005	-.747760+003	.154504+005	.5441
114.0000	.725015+004	.234895+005	-.130302+005	-.719542+003	.153638+005	.5283
115.0000	.745359+004	.231342+005	-.131133+005	-.692243+003	.152939+005	.5126
116.0000	.765505+004	.227898+005	-.131916+005	-.662836+003	.152224+005	.4971
117.0000	.785413+004	.224560+005	-.132653+005	-.636295+003	.151551+005	.4817
118.0000	.805085+004	.221325+005	-.133340+005	-.610594+003	.150917+005	.4665
119.0000	.824512+004	.218190+005	-.133993+005	-.585707+003	.150320+005	.4515
120.0000	.843688+004	.215151+005	-.134612+005	-.561612+003	.149700+005	.4366
121.0000	.862594+004	.212207+005	-.135189+005	-.538265+003	.149233+005	.4220
122.0000	.881246+004	.209353+005	-.135730+005	-.515703+003	.148739+005	.4075
123.0000	.899519+004	.206538+005	-.136237+005	-.492845+003	.148275+005	.3933
124.0000	.917713+004	.203908+005	-.136713+005	-.472390+003	.147840+005	.3793
125.0000	.935523+004	.201312+005	-.137159+005	-.452217+003	.147432+005	.3655
126.0000	.953045+004	.198796+005	-.137577+005	-.432407+003	.147050+005	.3519
127.0000	.970273+004	.196355+005	-.137968+005	-.413241+003	.146693+005	.3385
128.0000	.987204+004	.193958+005	-.138333+005	-.394700+003	.146359+005	.3255
129.0000	.100323+005	.191712+005	-.138574+005	-.376760+003	.146048+005	.3127
130.0000	.102016+005	.189493+005	-.138992+005	-.359424+003	.145757+005	.3001
131.0000	.103613+005	.187353+005	-.139299+005	-.342655+003	.145486+005	.2878
132.0000	.105189+005	.185277+005	-.139565+005	-.326443+003	.145233+005	.2757
133.0000	.106728+005	.183268+005	-.139922+005	-.310775+003	.144996+005	.2639
134.0000	.108237+005	.181323+005	-.140061+005	-.295634+003	.144780+005	.2524
135.0000	.109713+005	.179442+005	-.140283+005	-.281006+003	.144577+005	.2411
136.0000	.111158+005	.177621+005	-.140428+005	-.266377+003	.144390+005	.2302
137.0000	.112571+005	.175861+005	-.140578+005	-.253334+003	.144216+005	.2194
138.0000	.113951+005	.174159+005	-.140734+005	-.240063+003	.144055+005	.2090
139.0000	.115300+005	.172514+005	-.140810+005	-.227354+003	.143907+005	.1988
140.0000	.116616+005	.170924+005	-.141166+005	-.215093+003	.143770+005	.1893
141.0000	.117899+005	.169389+005	-.141304+005	-.203269+003	.143644+005	.1792
142.0000	.119150+005	.167907+005	-.141430+005	-.191871+003	.143528+005	.1698
143.0000	.120369+005	.166476+005	-.141546+005	-.180338+003	.143422+005	.1607
144.0000	.121555+005	.165035+005	-.141652+005	-.170310+003	.143325+005	.1519
145.0000	.122708+005	.163766+005	-.141749+005	-.160127+003	.143237+005	.1433
146.0000	.123923+005	.162484+005	-.141827+005	-.150350+003	.143156+005	.1350
147.0000	.124916+005	.161249+005	-.141918+005	-.140308+003	.143083+005	.1270
148.0000	.125971+005	.160061+005	-.141991+005	-.131855+003	.143016+005	.1192
149.0000	.126993+005	.158919+005	-.142056+005	-.123161+003	.142956+005	.1117
150.0000	.127983+005	.157820+005	-.142116+005	-.114817+003	.142901+005	.1044
151.0000	.128939+005	.156766+005	-.142159+005	-.106818+003	.142853+005	.0974
152.0000	.129853+005	.155754+005	-.142217+005	-.991535+002	.142809+005	.0907
153.0000	.130754+005	.154795+005	-.142260+005	-.921535+002	.142770+005	.0842
154.0000	.131613+005	.153857+005	-.142298+005	-.848358+002	.142735+005	.0779
155.0000	.132439+005	.152959+005	-.142332+005	-.781037+002	.142704+005	.0719
156.0000	.133232+005	.152122+005	-.142362+005	-.717210+002	.142677+005	.0662
157.0000	.133992+005	.151314+005	-.142380+005	-.656370+002	.142653+005	.0607
158.0000	.134720+005	.150544+005	-.142411+005	-.598514+002	.142632+005	.0555
159.0000	.135415+005	.149813+005	-.142431+005	-.543937+002	.142614+005	.0505
160.0000	.136077+005	.149119+005	-.142443+005	-.491541+002	.142598+005	.0457
161.0000	.136707+005	.148462+005	-.142463+005	-.441318+002	.142585+005	.0412
162.0000	.137303+005	.147841+005	-.142475+005	-.393500+002	.142573+005	.0370
163.0000	.137873+005	.147257+005	-.142486+005	-.352190+002	.142563+005	.0329
164.0000	.138402+005	.146709+005	-.142495+005	-.311206+002	.142555+005	.0291
165.0000	.138902+005	.146195+005	-.142502+005	-.272880+002	.142549+005	.0256
166.0000	.139370+005	.145717+005	-.142508+005	-.237201+002	.142543+005	.0223



167.0000	.139805+005	.145273+005	-.142513+005	-.204112+002	.142539+005	.0192
168.0000	.140208+005	.144863+005	-.142516+005	-.173592+002	.142536+005	.0163
169.0000	.140579+005	.144487+005	-.142513+005	-.145513+002	.142533+005	.0137
170.0000	.140917+005	.144145+005	-.142522+005	-.120150+002	.142531+005	.0113
171.0000	.141223+005	.143836+005	-.142523+005	-.971795+001	.142529+005	.0092
172.0000	.141497+005	.143560+005	-.142524+005	-.766861+001	.142528+005	.0072
173.0000	.141738+005	.143317+005	-.142525+005	-.586524+001	.142527+005	.0055
174.0000	.141947+005	.143107+005	-.142526+005	-.430522+001	.142527+005	.0041
175.0000	.142124+005	.142929+005	-.142526+005	-.298646+001	.142527+005	.0028
176.0000	.142269+005	.142784+005	-.142528+005	-.191019+001	.142527+005	.0018
177.0000	.142382+005	.142671+005	-.142528+005	-.107472+001	.142526+005	.0010
178.0000	.142462+005	.142591+005	-.142526+005	-.476149+000	.142526+005	.0005
179.0000	.142510+005	.142543+005	-.142526+005	-.120592+000	.142526+005	.0001
180.0000	.142526+005	.142526+005	-.142526+005	.000000	.142526+005	.0000

EFFICIENCY FACTOR FOR EXTINCTION .201445+001

EFFICIENCY FACTOR FOR SCATTERING .108090+001

EFFICIENCY FACTOR FOR ABSORPTION .933545+000

ASYMMETRY FACTOR .968573+000

# DISTRIBUTION LIST 5

Names	Copies	Names	Copies
CHEMICAL SYSTEMS LABORATORY			
ATTN: DRDAR-CLB-C	1	Commander	
ATTN: DRDAR-CLB-P	1	SED, HQ, INSCOM	
ATTN: DRDAR-CLB-PA	1	ATTN: IRFM-SED (Mr. Joubert)	1
ATTN: DRDAR-CLB-R	1	Fort Meade, MD 20755	
ATTN: DRDAR-CLB-T	1	DEPARTMENT OF THE ARMY	
ATTN: DRDAR-CLB-TE	1		
ATTN: DRDAR-CLC	1	HQDA (DAMO-NCC)	1
ATTN: DRDAR-CLF	1	WASH DC 20310	
ATTN: DRDAR-CLJ-R	2		
ATTN: DRDAR-CLJ-L	3	Deputy Chief of Staff for Research,	
ATTN: DRDAR-CLJ-M	1	Development & Acquisition	
ATTN: DRDAR-CLJ-P	1	ATTN: DAMA-CSS-C	1
ATTN: DRDAR-CLT-E	1	ATTN: DAMA-ARZ-D	1
ATTN: DRDAR-CLN	1	Washington, DC 20310	
ATTN: DRDAR-CLN-D	1		
ATTN: DRDAR-CLN-S	3	US Army Research and Standardization	
ATTN: DRDAR-CLN-ST	2	Group (Europe)	
ATTN: DRDAR-CLR-I	1	ATTN: DRXSN-E-SC	1
ATTN: DRDAR-CLW-C	1	Box 65, FPO New York 09510	
ATTN: DRDAR-CLW-P	1		
ATTN: DRDAR-CLY-A	1	HQDA (DAMI-FIT)	1
ATTN: DRDAR-CLY-R	1	WASH, DC 20310	
COPIES FOR AUTHOR(S):			
Research Division	1	Commander	
RECORD SET: ATTN: DRDAR-CLB-A	1	DARCOM, STITEUR	
		ATTN: DRXST-STI	1
		Box 48, APO New York 09710	
DEPARTMENT OF DEFENSE			
Defense Technical Information Center		Commander	
ATTN: DTIC-DDA-2	12	US Army Science & Technology Center-	
Cameron Station, Building 5		Far East Office	
Alexandria, VA 22314		ATTN: MAJ Borges	1
		APO San Francisco 96328	
Director		Commander	
Defense Intelligence Agency		2d Infantry Division	
ATTN: DB-4G1	1	ATTN: EAIDCOM	1
Washington, DC 20301		APO San Francisco 96224	
Special Agent in Charge		Commander	
ARO, 902d Military Intelligence GP		5th Infantry Division (Mech)	
ATTN: IAGPA-A-AN	1	ATTN: Division Chemical Officer	1
Aberdeen Proving Ground, MD 21005		Fort Polk, LA 71459	

Commander  
US Army Nuclear & Chemical Agency  
ATTN: MONA-WE (LTC Pelletier)  
7500 Backlick Rd, Bldg 2073  
Springfield, VA 22150

Army Research Office  
ATTN: DRXRO-CB  
ATTN: DRXRO-MA  
P.O. Box 12211  
Research Triangle Park, NC 27709

#### OFFICE OF THE SURGEON GENERAL

Commander  
US Army Medical Bioengineering Research  
and Development Laboratory  
ATTN: SGRD-UBD-AL  
Fort Detrick, Bldg 568  
Frederick, MD 21701

Headquarters  
US Army Medical Research and  
Development Command  
ATTN: SGRD-PL  
Fort Detrick, MD 21701

Commander  
USA Medical Research Institute of  
Chemical Defense  
ATTN: SGRD-UV-L  
Aberdeen Proving Ground, MD 21010

#### US ARMY HEALTH SERVICE COMMAND

Superintendent  
Academy of Health Sciences  
US Army  
ATTN: HSA-CDH  
ATTN: HSA-IPM  
Fort Sam Houston, TX 78234

#### US ARMY MATERIEL DEVELOPMENT AND READINESS COMMAND

Commander  
US Army Materiel Development and  
Readiness Command  
ATTN: DRCLDC  
ATTN: DRCSF-P  
5001 Eisenhower Ave  
Alexandria, VA 22333

Project Manager Smoke/Obscurants  
ATTN: DRCPM-SMK  
Aberdeen Proving Ground, MD 21005

Commander  
US Army Foreign Science & Technology Center  
ATTN: DRXST-MT3  
220 Seventh St., NE  
Charlottesville, VA 22901

Director  
US Army Materiel Systems Analysis Activity  
ATTN: DRXSY-FJ (SAWG)  
ATTN: DRXSY-MP  
ATTN: DRXSY-CA (Mr. Metz)  
Aberdeen Proving Ground, MD 21005

Commander  
US Army Missile Command  
Redstone Scientific Information Center  
ATTN: DRSMI-ROC (B. Fowler)  
ATTN: DRSMI-RPR (Documents)  
Redstone Arsenal, AL 35809

Director  
DARCOM Field Safety Activity  
ATTN: DRXOS-C  
Charlestown, IN 47111

Commander  
US Army Natick Research and  
Development Command  
ATTN: DRDNA-VR  
ATTN: DRDNA-VT  
Natick, MA 01760

#### US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

Commander  
US Army Armament Research and  
Development Command  
ATTN: DRDAR-LCA-L  
ATTN: DRDAR-LCE  
ATTN: DRDAR-LCE-C  
ATTN: DRDAR-LCU  
ATTN: DRDAR-LCU-CE  
ATTN: DRDAR-PMA (G.R. Sacco)  
ATTN: DRDAR-SCA-W  
ATTN: DRDAR-TSS  
ATTN: DRCPM-CAWS-AM  
ATTN: DRCPM-CAWS-SI  
Dover, NJ 07801

Commander  
USA ARRADCOM  
ATTN: DRDAR-QAC-D  
Aberdeen Proving Ground, MD 21010

Director  
Ballistic Research Laboratory  
ARRADCOM  
ATTN: DRDAR-TSB-S  
Aberdeen Proving Ground, MD 21005

# US ARMY ARMAMENT MATERIEL READINESS COMMAND

Commander  
US Army Armament Materiel  
Readiness Command  
ATTN: DRSAR-ASN  
ATTN: DRSAR-PDM  
ATTN: DRSAR-SF  
Rock Island, IL 61299

Commander  
US Army Dugway Proving Ground  
ATTN: Technical Library Docu Sect  
Dugway, UT 84022

# US ARMY TRAINING & DOCTRINE COMMAND

Commandant  
US Army Infantry School  
ATTN: NBC Division  
Fort Benning, GA 31905

Commandant  
USAMP&CS/TC&FM  
ATTN: ATZN-CM-CDM  
Fort McClellan, AL 36205

US Army Chemical School  
ATTN: ATZN-CM-AL  
Fort McClellan, AL 36205

Commander  
US Army Infantry Center  
ATTN: ATSH-CD-MS-C  
Fort Benning, GA 31905

Commander  
US Army Infantry Center  
Directorate of Plans & Training  
ATTN: ATZB-DPT-PO-NBC  
Fort Benning, GA 31905

Commander  
USA Training and Doctrine Command  
ATTN: ATCD-Z  
Fort Monroe, VA 23651

Commander  
USA Combined Arms Center and  
Fort Leavenworth  
ATTN: ATZL-CA-COG  
ATTN: ATZL-CAM-IM  
Fort Leavenworth, KS 66027

Commander  
US Army TRADOC System Analysis Activity  
ATTN: ATAA-SL  
White Sands Missile Range, NM 88002

Commander/Director  
Atmospheric Sciences Laboratory  
ATTN: DELAS-EO (Dr. Niles)  
ATTN: DELAS-EO-MO  
White Sands Missile Range, NM 88002

# US ARMY TEST & EVALUATION COMMAND

Commander  
US Army Test & Evaluation Command  
ATTN: DRSTE-CM-F  
ATTN: DRSTE-CT-T  
Aberdeen Proving Ground, MD 21005

# DEPARTMENT OF THE NAVY

Commander  
Naval Air System Command  
AIR-310C (H. Rosenwasser)  
Washington, DC 20361

Commander  
Naval Explosive Ordnance  
Disposal Facility  
ATTN: Army Chemical Officer (Code AC-3)  
Indian Head, MD 20640

Commander  
Naval Weapons Center  
ATTN: Technical Library (Code 343)  
China Lake, CA 93555

Commanding Officer  
Naval Weapons Support Center  
ATTN: Code 5042 (Dr. B.E. Douda)  
Crane, IN 47522

US MARINE CORPS

Director, Development Center  
Marine Corps Development and  
Education Command  
ATTN: Fire Power Division  
Quantico, VA 22134

DEPARTMENT OF THE AIR FORCE

HQ Foreign Technology Division (AFSC)  
ATTN: TQTR  
Wright-Patterson AFB, OH 45433

HQ AFLC/LOWMM  
Wright-Patterson AFB, OH 45433

OUTSIDE AGENCIES

Battelle, Columbus Laboratories  
ATTN: TACTEC  
505 King Avenue  
Columbus, OH 43201

Toxicology Information Center, WG 1008  
National Research Council  
2101 Constitution Ave., NW  
Washington, DC 20418

ADDITIONAL ADDRESSEE

Commander  
US Army Environmental Hygiene Agency  
ATTN: Librarian, Bldg 2100  
Aberdeen Proving Ground, MD 21010

Stimson Library (Documents)  
Academy of Health Sciences  
Bldg. 2840  
Fort Sam Houston, TX 78234

FILMED

22-8